



The RITE Door®

VISION LITES & KICK PLATES

For adding Vision Lites, The RITE Door® can be ordered prepped for glazing or with a cut-out only. Plastic Laminate finishes require Lite Kits. Call Adams Rite for custom shapes or treatments.

- **Built-in Lite Prep with Glass Stops Standard**
- **Low Profile Lite Kit**
- **Cut-out Only**

Maximum Visible Glass Sizes:

20- and 45- Minute Rating – 1296 sq. inches

60- and 90- Minute Rating – 100 sq. inches

Larger sizes, including 3 hour rating, available with Firelite NT or Firelite Plus Glass. Contact factory.

Kick Plates can be factory installed on The RITE Door, from a minimum of 4 inches to a maximum height of 35 inches. Call Adams Rite for custom shapes or finishes.

Metal Kick Plates

260 Brass

220 Bronze

304 Stainless Steel

5005H34 Aluminum

PVC 1/8" Plastic Plates

Standard colors include Black, Grey, Khaki Brown, Beige, Dove Grey and Frosty White.

Louver


18 gauge rust resistant steel frame

20 gauge adjustable "Z" blades and core





LITE KITS



Adams Rite Vision Lites were designed with a clean, flush extrusion having no areas that would collect any unsightly dirt. The new construction also consists of an easy mounting system, eliminating the struggle of having to line up your hardware with any type of screw spline. Adams Rite standard lite kits come in various sizes with two available glass thicknesses of 1/4" to 1".

Standard:

- 10" x 10"
- 3" x 33"
- 4" x 25"
- 5" x 20"

Vision Lites are also available in custom sizes

The LPK - 20 Lite Kit provides a wide viewing angle. For use with 1/4" up to 5/8" glass for 1 3/4" wood or metal doors, the LPK - 20 installs without drilling holes through the door for quick installation. The LPK - 20 is fastened with sheet metal screws on one side. It also has countersunk mounting holes for a flush appearance.

Standard Features

Materials

18 gauge rust resistant galvaneal steel

Finish

Gray, beige, or duranotic tough powder coat primer

Fasteners

No. 8 x 1 3/4" flat head s.m.s.

Dimensions

Minimum width 2"
Maximum height 69"

Other

Mitered and welded clean corner construction
15 degree beveled glass stops

Fire Rating



Classified in accordance with UBC
code standard 7-2 for positive pressure

Optional Features

Material

304 - #4 stainless steel in 18 gauge material
Extruded aluminum kits with rubber gasketing ready for glass

Finish


Custom powder coated finishes (sample chip must accompany order)

Fasteners

Security fasteners

Other

- Security Grilles
- Glazing tape
- Custom glass sizes
- Custom design Christian Cross: 22 x 34....20/45 min. fire rating
- 14 x 20....90 min. fire rating
- 17 x 33....90 min. fire rating



KICK PLATES

.050 KICK PLATES

Kick Plate - Armor Plate - Mop Plate - Stretcher Plate

D-KP

Standard Kick Plate - 7" to 16" in height

D-AP

Armor Plate - 17" to 36" in height

D-MP


Mop Plate - 6" or under in height

D-SP


Stretcher Plate - Plates are Heavy Beveled.

Note


All Metal Kick, Mop, Armor and Stretcher Plates are made from solid 260 Brass, 220 Bronze, 304 Stainless Steel or 50051-134 Aluminum. All edges are relieved. Heavy bevel at extra charge. Attached with adhesive.




D-KP



D-AP



D-MP



D-SP